

## LESEN PENSIJILAN BARANGAN

*Product Certification Licence*



**SIRIM QAS International Sdn. Bhd.** dengan ini menganugerahkan kepada  
*SIRIM QAS International Sdn. Bhd. hereby grants to*

**MOLECOR TECNOLOGÍA, S.L.**  
**CTRA M-206 TORREJÓN-LOECHES KM 3.1**  
**28890 LOECHES**  
**MADRID, SPAIN**

**Lesen untuk menggunakan Tanda Pensijilan di atas barangan**  
*a licence to use the Certification Mark on*

**ORIENTED UNPLASTICIZED POLYVINYL CHLORIDE (PVC-O) FITTINGS FOR WATER SUPPLY**

**Please refer to detail in the SCHEDULE**

**sebagai mematuhi keperluan**  
*as complying with*

**CEN/TS 17176-3:2019**



**Nur Fadhilah binti Muhammad**  
Ketua Pegawai Eksekutif  
*Chief Executive Officer*  
SIRIM QAS International Sdn. Bhd.



# SCHEDULE

MOLECOR TECNOLOGÍA, S.L.



Trade Mark : EcoFIT TOM  
Model : 11.25° BEND  
Rating : DESIGN COEFFICIENT C = 1.6; NOMINAL PRESSURE: PN16  
Type : FITTINGS WITH INTEGRAL SOCKETS (ELASTOMERIC RING JOINTS)  
Size : NOMINAL SIZE: DN110, DN125, DN140, DN160, DN200, DN225, DN250, DN315,  
AND DN400

Trade Mark : EcoFIT TOM  
Model : 22.5° BEND  
Rating : DESIGN COEFFICIENT C = 1.6; NOMINAL PRESSURE: PN16  
Type : FITTINGS WITH INTEGRAL SOCKETS (ELASTOMERIC RING JOINTS)  
Size : NOMINAL SIZE: DN110, DN125, DN140, DN160, DN200, DN225, DN250, DN315,  
AND DN400

Trade Mark : EcoFIT TOM  
Model : 90° BEND  
Rating : DESIGN COEFFICIENT C = 1.6; NOMINAL PRESSURE: PN16  
Type : FITTINGS WITH INTEGRAL SOCKETS (ELASTOMERIC RING JOINTS)  
Size : NOMINAL SIZE: DN110, DN125, DN140, DN160, DN200, DN225, DN250, DN315,  
AND DN400

Trade Mark : EcoFIT TOM  
Model : REDUCER  
Rating : DESIGN COEFFICIENT C = 1.6; NOMINAL PRESSURE: PN16  
Type : FITTINGS WITH INTEGRAL SOCKETS (ELASTOMERIC RING JOINTS)  
Size : NOMINAL SIZE: DN110, DN125, DN140, DN160, DN200, DN225, DN250, DN315,  
AND DN400

Trade Mark : EcoFIT TOM  
Model : COUPLER  
Rating : DESIGN COEFFICIENT C = 1.6; NOMINAL PRESSURE: PN16  
Type : FITTINGS WITH INTEGRAL SOCKETS (ELASTOMERIC RING JOINTS)  
Size : NOMINAL SIZE: DN110, DN125, DN140, DN160, DN200, DN225, DN250, DN315,  
AND DN400

# SCHEDULE

**MOLECOR TECNOLOGÍA, S.L.**



Trade Mark : EcoFIT TOM  
Model : SLIDING COUPLER  
Rating : DESIGN COEFFICIENT C = 1.6; NOMINAL PRESSURE: PN16  
Type : FITTINGS WITH INTEGRAL SOCKETS (ELASTOMERIC RING JOINTS)  
Size : NOMINAL SIZE: DN110, DN125, DN140, DN160, DN200, DN225, DN250, DN315,  
AND DN400

Trade Mark : EcoFIT TOM  
Model : 45° BEND  
Rating : DESIGN COEFFICIENT C = 1.6; NOMINAL PRESSURE: PN16  
Type : FITTINGS WITH INTEGRAL SOCKETS (ELASTOMERIC RING JOINTS)  
Size : NOMINAL SIZE: DN110, DN125, DN140, DN160, DN200, DN225, DN250, DN315,  
AND DN400

---

*End of page*

---